



EC TYPE EXAMINATION (MODULE B)
CERTIFICATE No. MED037121WS/005

***This is to certify** that RINA Services S.p.A. (Notified Body No. 0474) did undertake the relevant type approval procedures for the equipment identified below, which was found to be in compliance with the Fire Protection requirements of Marine Equipment Directive (MED) 2014/90/EU, including the requirements and testing standards of Regulation (EU) 2020/1170.*

MED Item N°

MED/3.41

Description

Emergency Escape Breathing Devices (EEBD)

Type

TH/15-1

Applicant

SHANGHAI FANGZHAN FIRE TECHNOLOGY CO., LTD.

BUILDING.41,NO.1-42, LANE 83
NORTH HONGXIANG ROAD, WANXIANG TOWN
PUDONG NEW AREA, SHANGHAI, CHINA

Testing standards

ISO 23269-1 (2008); EN 1146 (2005)

Reference standards

SOLAS 74 Reg.II-2/13, IMO Res.MSC.98(73)-(FSS Code) 3, IMO MSC/Circ.849.

Issued in **SHANGHAI** *on*
February 3, 2021

This Certificate is valid until
February 2, 2026

This Certificate consists of this sheet plus an attachment



Qiang Sun

RINA Services S.p.A.





**ATTACHMENT TO
CERTIFICATE No. MED037121WS/005**

Page 1 of 3

Manufacturer

SHANGHAI FANGZHAN FIRE TECHNOLOGY CO., LTD.

Place of Manufacturer

BUILDING.41
NO.1-42
LANE 83
NORTH HONGXIANG ROAD
WANXIANG TOWN
PUDONG NEW AREA
SHANGHAI
CHINA

Name & place of Authorised Representative

ANTONIO TRANI (FTTM SRL)
VIA DOMENICO CIMAROSA NO.37, NAPOLI, ITALY
ITALY

Product Description

The type TH/15-1 Emergency Escape Breathing Device (open-circuit compressed air breathing apparatus with a hood for escape) is designed with the following main characteristics and main components:

Main Characteristics:

Model	Maximum Working pressure	Volume	Air Deposit	Service time	Weight	Packing size
TH/15-1	21 Mpa	3 L	630 L	≥15 min (35 L/min)	≤ 7.5 kg	350 x 600 mm

Main Components:

Components	Model	Manufactory
Pressure Cylinder	3L	Sinoma Science & Technology (Jiu Jiang) Co., Ltd, or Nanjing Banqiao Fire-Fighting Equipment Co.,Ltd, or Zhejiang Kaibo Pressure Vessel Co., Ltd.
Pressure Gauge	-	Yangzhou new special instrument factory
Medium pressure pipe	-	Taizhou Kingston Valve Co., Ltd.
Air Cylinder Valve	TH/15-03-03	Zhejiang Chunlei Machinery Manufactory Co.,Ltd
Hood	---	Assembled by Shanghai Fangzhan Fire Technology Co.,Ltd

Field of Application

Emergency escape breathing devices to be use only for escape according to Reg.II-2/13.3.4 of SOLAS '74 as amended and designed according to Ch.3, Para.2.2 of FSS Code.

RINA Services S.p.A.
Via Corsica, 12 - 16128 Genova
Tel +39 010 53851
Fax +39 010 5351000



Smillane





ATTACHMENT TO
CERTIFICATE No. MED037121WS/005
Page 2 of 3

Continued:

Tests Carried Out

Test Report No. 2015145 issued by China Classification Society Wuhan Rules and Research Institute Testing Center of Marine Life-Saving Appliances and filed by RINA with No. SHFP-8829.

Test Report (TH/15-1, Ref No.: 2015145 ANNEX) issued by China Classification Society Wuhan Rules and Research Institute Testing Center of Marine Life-Saving Appliances according to ISO 23269-4:2010 and filed by RINA with No.: SHFP-9612.

Reference Documents

Technical Drawing (EEBD, Type: TH/15-1) issued by Shanghai Fangzhan Fire Technology Co.,Ltd and approved by RINA with No. SHFP-8751;

EEBD Material List issued by Shanghai Fangzhan Fire Technology Co.,Ltd and approved by RINA with No. SHFP-8853;

Operation & Maintenance Instruction issued by Shanghai Fangzhan Fire Technology Co.,Ltd and filed by RINA with No. SHFP-8753;

Marking issued by Shanghai Fangzhan Fire Technology Co.,Ltd and filed by RINA with No. SHFP-8855.

Remarks

The device is not intended for use in fire fighting fires, entering oxygen deficient voids or tanks, nor to be worn by fire-fighters.

Each device shall be properly marked according to EN 1146 (2005), Par. 8 with means of identification, working duration, European Standard EN 1146, serial number, shelf life with manufacturer date and the maximum pressure vessel pressure.

"For escape only" shall be applied on each device. All EEBD training units shall be clearly marked.

Inspection, maintenance, use, transportation and shelf life shall be in accordance with the manufacturer's instruction.

This product is designed in compliance with ISO 23269-4:2010 also.




Snelling





ATTACHMENT TO
CERTIFICATE No. MED037121WS/005
Page 3 of 3

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production control phase module (D, E or F) of Annex II of the Directive is fully complied with a written inspection agreement with a Notified Body



XXXX/YYYY


"WHEELMARK FORMAT"

XXXX *Notified Body number undertaking surveillance module*
YYYY *The year in which the mark is affixed*

General conditions for the approval

- a) The initial conditions verified by RINA at the time of the approval are to be maintained
- b) Any changes to the initial conditions are to be promptly communicated to RINA, which reserves the right to repeat the relevant assessment
- c) This certificate will no be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with RINA
- d) RINA personnel are to be allowed to witness during the performances of activities, upon their request
- e) The activities are to be carried out in compliance with the RINA Rules and/or other applicable Rules
- f) Should the specified regulations or standards be amended during the validity of this certificate, the product is to be reapproved prior to it being placed on board vessels to which the amended regulations or standards apply.




Qiang Sun

